

Séries 6200

Série 6200							
Désignation	Dimensions principales			Charges de base		Vitesses de base	
				dynamique	statique	Vitesse de référence	Vitesse limite
	d[mm]	D[mm]	B[mm]	C[kN]	C ₀ [kN]	[r/min]	[r/min]
6200	10	30	9	5.4	2.36	56000	36000
6200-2RSH	10	30	9	5.4	2.36		17000
6200-2RSH/VA947	10	30	9	5.4	2.36		17000
6200-2RSL	10	30	9	5.4	2.36	56000	28000
6200-2Z	10	30	9	5.4	2.36	56000	28000
6200-2ZNR	10	30	9	5.4	2.36	56000	28000
6200-RSH	10	30	9	5.4	2.36		17000
6200-Z	10	30	9	5.4	2.36	56000	36000
6201	12	32	10	7.28	3.1	50000	32000
6201-NR	12	32	10	7.28	3.1	50000	32000
6201-2RSH	12	32	10	7.28	3.1		15000
6201-2RSH/VA947	12	32	10	7.28	3.1		15000
6201-2RSL	12	32	10	7.28	3.1	50000	26000
6201-2Z	12	32	10	7.28	3.1	50000	26000
6201-2ZNR	12	32	10	7.28	3.1	50000	26000
6201-RSH	12	32	10	7.28	3.1		15000
6201-RSL	12	32	10	7.28	3.1	50000	32000
6201-Z	12	32	10	7.28	3.1	50000	32000
6202	15	35	11	8.06	3.75	43000	28000
6202-NR	15	35	11	8.06	3.75	43000	28000
6202-2RSH	15	35	11	8.06	3.75		13000
6202-2RSH/VA947	15	35	11	8.06	3.75		13000
6202-2RSL	15	35	11	8.06	3.75	43000	22000
6202-2Z	15	35	11	8.06	3.75	43000	22000
6202-2ZNR	15	35	11	8.06	3.75	43000	22000
6202-RSH	15	35	11	8.06	3.75		13000
6202-Z	15	35	11	8.06	3.75	43000	28000
6203	17	40	12	9.95	4.75	38000	24000
6203-NR	17	40	12	9.95	4.75	38000	24000
6203-2RSH	17	40	12	9.95	4.75		12000
6203-2RSH/VA947	17	40	12	9.95	4.75		12000
6203-2RSL	17	40	12	9.95	4.75	38000	19000

6203-2Z	17	40	12	9.95	4.75	38000	19000
6203-2ZNR	17	40	12	9.95	4.75	38000	19000
6203-RSH	17	40	12	9.95	4.75		12000
6203-Z	17	40	12	9.95	4.75	38000	24000
6203-ZNR	17	40	12	9.95	4.75	38000	24000
6204	20	47	14	13.5	6.55	32000	20000
6204-ETN9	20	47	14	15.6	7.65	32000	20000
6204-N	20	47	14	13.5	6.55	32000	20000
6204-NR	20	47	14	13.5	6.55	32000	20000
6204-2RSH	20	47	14	13.5	6.55		10000
6204-2RSH/VA947	20	47	14	13.5	6.55		10000
6204-2RSL	20	47	14	13.5	6.55	32000	17000
6204-2Z	20	47	14	13.5	6.55	32000	17000
6204-2ZNR	20	47	14	13.5	6.55	32000	17000
6204-RSH	20	47	14	13.5	6.55		10000
6204-Z	20	47	14	13.5	6.55	32000	20000
6204-ZNR	20	47	14	13.5	6.55	32000	20000
6205	25	52	15	14.8	7.8	28000	18000
6205-ETN9	25	52	15	17.8	9.3	28000	18000
6205-N	25	52	15	14.8	7.8	28000	18000
6205-NR	25	52	15	14.8	7.8	28000	18000
6205-2RSH	25	52	15	14.8	7.8		8500
6205-2RSH/VA947	25	52	15	14.8	7.8		8500
6205-2RSL	25	52	15	14.8	7.8	28000	14000
6205-2Z	25	52	15	14.8	7.8	28000	14000
6205-2ZNR	25	52	15	14.8	7.8	28000	14000
6205-RSH	25	52	15	14.8	7.8		8500
6205-Z	25	52	15	14.8	7.8	28000	18000
6205-ZNR	25	52	15	14.8	7.8	28000	18000
6206-N	30	62	16	20.3	11.2	24000	15000
6206-NR	30	62	16	20.3	11.2	24000	15000
6206-2RS1	30	62	16	20.3	11.2		8000
6206-2RSH/VA947	30	62	16	20.3	11.2		7500
6206-2RZ	30	62	16	20.3	11.2	24000	12000
6206-2Z	30	62	16	20.3	11.2	24000	12000
6206-2ZNR	30	62	16	20.3	11.2	24000	12000
6206-RS1	30	62	16	20.3	11.2		7500
6206-RZ	30	62	16	20.3	11.2	24000	12000
6206-Z	30	62	16	20.3	11.2	24000	15000
6206-ZNR	30	62	16	20.3	11.2	24000	15000

6207	35	72	17	27	15.3	20000	13000
6207 ETN9/C3	35	72	17	31.2	17.6	20000	13000
6207-N	35	72	17	27	15.3	20000	13000
6207-NR	35	72	17	27	15.3	20000	13000
6207-2RS1	35	72	17	27	15.3		6300
6207-2RSH	35	72	17	27	15.3		6300
6207-2Z	35	72	17	27	15.3	20000	10000
6207-2ZNR	35	72	17	27	15.3	20000	10000
6207-RS1	35	72	17	27	15.3		6300
6207-Z	35	72	17	27	15.3	20000	13000
6207-ZNR	35	72	17	27	15.3	20000	13000
6208	40	80	18	32.5	19	18000	11000
6208-ETN9	40	80	18	35.8	20.8	18000	11000
6208-N	40	80	18	32.5	19	18000	11000
6208-NR	40	80	18	32.5	19	18000	11000
6208-2RS1	40	80	18	32.5	19		5600
6208-2Z	40	80	18	32.5	19	18000	9000
6208-2ZNR	40	80	18	32.5	19	18000	9000
6208-NS1	40	80	18	32.5	19		5600
6208-Z	40	80	18	32.5	19	18000	11000
6208-ZNR	40	80	18	32.5	19	18000	11000
6209	45	85	19	35.1	21.6	17000	11000
6209-N	45	85	19	35.1	21.6	17000	11000
6209-NR	45	85	19	35.1	21.6	17000	11000
6209-2RS1	45	85	19	35.1	21.6		5000
6209-2Z	45	85	19	35.1	21.6	17000	8500
6209-RS1	45	85	19	35.1	21.6		5000
6209-Z	45	85	19	35.1	21.6	17000	11000
6209-ZNR	45	85	19	35.1	21.6	17000	11000
6210	50	90	20	37.1	23.2	15000	10000
6210-M	50	90	20	37.1	23.2	15000	14000
6210-N	50	90	20	37.1	23.2	15000	10000
6210-NR	50	90	20	37.1	23.2	15000	10000
6210-2RS1	50	90	20	37.1	23.2		4800
6210-2RSH	50	90	20	37.1	23.2		4800
6210-2RZ	50	90	20	37.1	23.2	15000	8000
6210-2Z	50	90	20	37.1	23.2	15000	8000
6210-2ZNR	50	90	20	37.1	23.2	15000	8000
6210-RS1	50	90	20	37.1	23.2		4800
6210-Z	50	90	20	37.1	23.2	15000	10000
6210-ZNR	50	90	20	37.1	23.2	15000	10000

6211	55	100	21	46.2	29	14000	9000
6211 M	55	100	21	46.2	29	14000	13000
6211 N	55	100	21	46.2	29	14000	9000
6211-NR	55	100	21	46.2	29	14000	9000
6211-2RS1	55	100	21	46.2	29		4300
6211-2RSH	55	100	21	46.2	29		4300
6211-2Z	55	100	21	46.2	29	14000	7000
6211-2ZNR	55	100	21	46.2	29	14000	7000
6211-RS1	55	100	21	46.2	29		4300
6211-Z	55	100	21	46.2	29	14000	9000
6211-ZNR	55	100	21	46.2	29	14000	9000
6212	60	110	22	55.3	36	13000	8000
6212 M	60	110	22	55.3	36	13000	11000
6212 N	60	110	22	55.3	36	13000	8000
6212-NR	60	110	22	55.3	36	13000	8000
6212-2RS1	60	110	22	55.3	36		4000
6212-2Z	60	110	22	55.3	36	13000	6300
6212-2ZNR	60	110	22	55.3	36	13000	6300
6212-RS1	60	110	22	55.3	36		4000
6212-Z	60	110	22	55.3	36	13000	8000
6212-ZNR	60	110	22	55.3	36	13000	8000
6213	65	120	23	58.5	40.5	12000	7500
6213 M	65	120	23	58.5	40.5	12000	10000
6213 N	65	120	23	58.5	40.5	12000	7500
6213 NR	65	120	23	58.5	40.5	12000	7500
6213-2RS1	65	120	23	58.5	40.5		3600
6213-2Z	65	120	23	58.5	40.5	12000	6000
6213-2ZNR	65	120	23	58.5	40.5	12000	6000
6213-RS1	65	120	23	58.5	40.5		3600
6213-Z	65	120	23	58.5	40.5	12000	7500
6213-ZNR	65	120	23	58.5	40.5	12000	7500
6214	70	125	24	63.7	45	11000	7000
6214 M	70	125	24	60.5	45	11000	10000
6214 NR	70	125	24	63.7	45	11000	7000
6214-2RS1	70	125	24	63.7	45		3400
6214-2Z	70	125	24	63.7	45	11000	5600
6214-RS1	70	125	24	63.7	45		3400
6214-Z	70	125	24	63.7	45	11000	7000
6214-ZNR	70	125	24	63.7	45	11000	7000
6215	75	130	25	68.9	49	10000	6700
6215 M	75	130	25	68.9	49	10000	9500

6215 N	75	130	25	68.9	49	10000	6700
6215-NR	75	130	25	68.9	49	10000	6700
6215-2RS1	75	130	25	68.9	49		3200
6215-2Z	75	130	25	68.9	49	10000	5300
6215-RS1	75	130	25	68.9	49		3200
6215-Z	75	130	25	68.9	49	10000	6700
6215-RS1	75	130	25	68.9	49		3200
6215-Z	75	130	25	68.9	49	10000	6700
6216	80	140	26	72.8	55	9500	6000
6216 M	80	140	26	72.8	55	9500	8500
6216 NR	80	140	26	72.8	55	9500	6000
6216-2RS1	80	140	26	72.8	55		3000
6216-2Z	80	140	26	72.8	55	9500	4800
6216-RS1	80	140	26	72.8	55		3000
6216-Z	80	140	26	72.8	55	9500	6000
6217	85	150	28	87.1	64	9000	5600
6217 M	85	150	28	87.1	64	9000	8000
6217-NR	85	150	28	87.1	64	9000	5600
6217-2RS1	85	150	28	87.1	64		2 800
6217-2Z	85	150	28	87.1	64	9000	4500
6217-RS1	85	150	28	87.1	64		2800
6217-Z	85	150	28	87.1	64	9000	5600
6218	90	160	30	101	73.5	8500	5300
6218-NR	90	160	30	101	73.5	8500	5300
6218-2RS1	90	160	30	101	73.5		2600
6218-2Z	90	160	30	101	73.5	8500	4300
6218-RS1	90	160	30	101	73.5		2600
6218-Z	90	160	30	101	73.5	8500	5300
6219	95	170	32	114	81.5	8000	5000
6219-2RS1	95	170	32	114	81.5		2400
6219-2Z	95	170	32	114	81.5	8000	4000
6219-RS1	95	170	32	114	81.5		2400
6219-Z	95	170	32	114	81.5	8000	5000
6220	100	180	34	127	93	7500	4800
6220-2RS1	100	180	34	127	93		2400
6220-2Z	100	180	34	127	93	7500	3800
6220-RS1	100	180	34	127	93		2400
6220-Z	100	180	34	127	93	7500	4800
6221	105	190	36	140	104	7000	4500
6221-2Z	105	190	36	140	104	7000	3600
6222	110	200	38	151	118	6700	4300

6222-2RS1	110	200	38	151	118		2000
6222-2Z	110	200	38	151	118	6700	3400
6222-Z	110	200	38	151	118	6700	4300
6224	120	215	40	146	118	6300	4000
6224 M	120	215	40	146	118	6300	5600
6224-2RS1	120	215	40	146	118		1900
6226	130	230	40	156	132	5600	3600
6226 M	130	230	40	156	132	5600	5300
6226 2RS1	130	230	40	156	132		1800
6226-2Z	130	230	40	156	132	5600	3000
6262-Z	130	230	40	156	132	5600	3600
6230	150	270	45	174	166	5000	3200
6230 M	150	270	45	174	166	5600	4500
6232	160	290	48	186	186	4500	3000
6232 M	160	290	48	186	186	4500	4300
6234	170	310	52	212	224	4300	2800
6234 M	170	310	52	212	224	4300	3800
6236 M	180	320	52	229	240	4000	3800
6238	190	340	55	255	280	3800	2400
6238 M	190	340	55	255	280	3800	3400
6240 M	200	360	58	270	310	3600	3200
6244 M	220	400	65	296	365	3200	3000
6248 M	240	440	72	358	465	3000	2600
6252 M	260	480	80	390	530	2600	2400
6256 M	280	500	80	423	600	2600	2200
6260 M	300	540	85	462	670	2400	2000